L Number	Hits	Search Text	DB	Time stamp
1	5904	((appertures hole orifice) near2 (frame base support)) and ((monitor$4 test$4 measur$4 detect$4 determin$4 sens$4 estimat$4) near4 (load$4 forc$4 flex$4 bend$4 weigh$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:29
2	185	((pair$4 several many multiple) near3 (appertures hole orifice) near2 (frame base support)) and ((monitor$4 test$4 measur$4 detect$4 determin$4 sens$4 estimat$4) near4 (load$4 forc$4 flex$4 bend$4 weigh$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:29
3	22	(((pair$4 several many multiple) near3 (appertures hole orifice) near2 (frame base support)) and ((monitor$4 test$4 measur$4 detect$4 determin$4 sens$4 estimat$4) near4 (load$4 forc$4 flex$4 bend$4 weigh$3))) and 73/$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:30
-	374	73/849.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:31
-	24	("3898873" "4594900" "4789947" "5345826" "5386442" "5448918" "5699274" "5913246" "6042315" "6053052" "6216531" "6263636").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 14:05
-	2414	((saddle seat support bracket) near4 (specimen sample object) near6 (beam bar block))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:07
-	108	((rotat$4 pivot$4) near3 (saddle seat support bracket) near4 (specimen sample object) near6 (beam bar block))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:19
-	67	((rotat$4 pivot$4) near3 (saddle seat clamp$4 grip$4 bracket) near4 (specimen sample object) near6 (beam bar block))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:21
-	100	((rotat$4 pivot$4) near3 (saddle seat clamp$4 grip$4 bracket) near4 (specimen sample object) near6 (beam bar block platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:37
-	96	73/852.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:31
-	288	73/856.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:32
-	55	73/853.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:33

C:\APPS\EAST\Workspaces\Adjustable flexure loading apparatus 10657774.wsp

-	105	73/855.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:33
-	1942	((rotat$4 pivot$4) near3 (saddle seat clamp$4 grip$4 bracket)) and 73/$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:39
-	475	(((rotat$4 pivot$4) near3 (saddle seat clamp$4 grip$4 bracket)) and 73/$6.ccls.) and ((saddle seat clamp$4 grip$4 bracket) near6 (beam bar block platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 16:38
-	443	(((rotat$4 pivot$4) near3 (saddle seat clamp$4 grip$4 bracket)) and 73/$6.ccls.) and ((saddle clamp$4 grip$4 bracket) near6 (beam bar block platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/11 13:52
-	1054	((rotat$4 pivot$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp$4 hold$4 grip$4 support$4 bracket)) and ((saddle clamp$4 grip$4 bracket) near6 (beam bar block platform))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/11 14:07
-	53	(((rotat$4 pivot$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp$4 hold$4 grip$4 support$4 bracket)) and ((saddle clamp$4 grip$4 bracket) near6 (beam bar block platform))) and ((monitor$4 test$4 measur$4 detect$4 determin$4 estimat$4) near4 (load$4 forc$4 flex$4 bend$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/11 13:54
-	67	(((rotat$4 pivot$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp$4 hold$4 grip$4 support$4 bracket)) and ((saddle clamp$4 grip$4 bracket) near6 (beam bar block platform))) and ((monitor$4 test$4 measur$4 detect$4 determin$4 sens$4 estimat$4) near4 (load$4 forc$4 flex$4 bend$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/11 14:18
-	0	(((rotat$4 pivot$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp$4 hold$4 grip$4 support$4 bracket)) and ((saddle clamp$4 grip$4 bracket) near6 (beam bar block platform))) and ((monitor$4 test$4 measur$4 detect$4 determin$4 sens$4 estimat$4) near4 pressurre)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/11 14:03
-	32	(((rotat$4 pivot$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp$4 hold$4 grip$4 support$4 bracket)) and ((saddle clamp$4 grip$4 bracket) near6 (beam bar block platform))) and ((monitor$4 test$4 measur$4 detect$4 determin$4 sens$4 estimat$4) near4 weigh$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/11 14:03
-	32	5279006.URPN.	USPAT	2004/09/11 14:10
-	230	(((rotat$4 pivot$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp$4 hold$4 grip$4 support$4 bracket)) and ((saddle clamp$4 grip$4 bracket) near6 (beam bar block base platform))) .clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/11 14:18
-	11	((((rotat$4 pivot$4) near3 (saddle u?shaped v?shaped) near4 (seat clamp$4 hold$4 grip$4 support$4 bracket)) and ((saddle clamp$4 grip$4 bracket) near6 (beam bar block base platform))) .clm.) and ((monitor$4 test$4 measur$4 detect$4 determin$4 sens$4 estimat$4) near4 (load$4 forc$4 flex$4 bend$4 weigh$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 12:06
-	5	("4700077" | "4750141" | "5489854" | "5530374" | "5642056").PN.	USPAT	2004/09/11 14:35
-	1	"2299722".PN.	USPAT	2004/09/11 14:41
-	3	2299722.URPN.	USPAT	2004/09/11 14:41

C:\APPS\EAST\Workspaces\Adjustable flexure loading apparatus 10657774.wsp

-	669	I?shaped and ((monitor$4 test$4 measur$4 detect$4 determin$4 sens$4 estimat$4) near4 (load$4 forc$4 flex$4 bend$4 weigh$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 12:07
-	20	(I?shaped near2 (frame base support)) and ((monitor$4 test$4 measur$4 detect$4 determin$4 sens$4 estimat$4) near4 (load$4 forc$4 flex$4 bend$4 weigh$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 15:27

C:\APPS\EAST\Workspaces\Adjustable flexure loading apparatus 10657774.wsp